

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Executive Summary

The green electrification mega-trend requires *many* types of energy storage to match intermittent renewable power generation to on-demand electricity needs. Strong growth in stationary storage capacity is expected with some tipping a 600% rise in just 7-years and reach US\$55 billion in invested capital. While Lithium-ion currently has ~95% share, *capturing a modest portion of the storage trend can transform the small vanadium industry, worth just US\$4billion in 2020.*

### What is a Vanadium Redox Flow Battery?

A VRFB is an Australian invented power storage device has been under development globally over the last two decades. It is made up of two tanks filled with water-based vanadium electrolyte fluid and linked by pipes and pumps to a membrane separated power cell. Electron flows across the membrane to either store, or in reverse direction, to discharge electrical current. *VRFB's use a liquid vanadium electrolyte to store electrical charge, the larger the tank, the greater scale economies.*

While VRFB is at present more expensive up-front than Lithium-ion batteries, they can work out cheaper on full-cycle use over 20-years and 35,000 charge/discharge cycles. The VRFB does not degrade over time, can discharge 100% of its stored power and its vanadium electrolyte is fully recyclable that could realise ~1/3<sup>rd</sup> the value of a new VRFB. VRFB's can operate at high temperatures and cannot catch fire. They are suited to supporting utility-scale grids, mini-grids and teamed with renewables are ideal for remote power needs.

### Vanadium's game-changer – learning from the lithium boom

In this report we focus upon the vanadium industry. Vanadium's price cycle has been highly volatile, captive to both the steel volume and the iron ore price cycle given most V production is in the form of ferrovanadium as a steel alloy input.

However, like lithium, the emergence of new energy storage demand is a game changer for high-purity vanadium, in this case to supply VRFB's.

### Sustainability issues will favour low emissions producers

Low concentrations of vanadium are often associated with complex titanium and iron oxides ores. Most of the world's 110,000 tpa vanadium output is in the form of ferrovanadium with ~80% V as a Co-production from magnetite ores. Currently hi-grade 98% Primary mine producers only supply ~17% of the V market, have high emissions with some valuable co-products diverted to waste.

**TNG's projected 6,000tpa of V2O5** has potential to be strategically significant in supplying >99% grade vanadium pentoxide, the primary ingredient for VRFB and with a low emissions footprint. This is because its patented TIVAN® process recovers hi-grade titanium dioxide and iron ore as well as V and is planning to incorporate solar generation and hydrogen as a reductant as soon as H2 volumes become available. *For more detail see: [TNG Report link](#).*

### Vanadium prices are consolidating prior to VRFB surge

The rise and then recent slowdown in China's steelmaking have seen vanadium prices double since last year and retrace around 25%. High iron ore prices allowed China's magnetite processors to boost ferrovanadium supplies.

However, lower iron ore prices are now seeing a steady in vanadium prices. New demand for hi-grade V is also starting to tighten the vanadium market.


China has announced over 1,500MWH of VRFB projects which amount to over 8,200 t of vanadium. This equates to ~7% of world V demand, and ~30% of high-grade vanadium supply. In aggregate, similar plans are being finalised in Europe, Japan, Brazil and South Africa over the next couple of years. *Clearly there is need for more hi-grade vanadium production that also meets sustainability credentials – to assist the energy transition to lower emissions.*

Lawrence Grech

[enquiries@corporateconnect.com.au](mailto:enquiries@corporateconnect.com.au)

### Growing intermittent power = battery need

IEA's forecast of World Power Generation  
- announced pledges TerraWatt Hours




<sup>1</sup>Source: IEA World Energy Outlook 2021 - page 302 table:

### VRFB – ideal power storage teamed with solar generation & local power grid or off-grid



Source: Yadlamalka Energy is developing a 2 MW VRFB/ 6 MW solar project near Hawker, South Australia


### Vanadium price likely to rise over time



Source Vanadiumprice.com – V2O5 pricing depicted US\$/lb

### Australia's opportunity – big resource, no production and critical mineral status

Vanadium Reserves: USGS est. 2019



Source US Geological Survey

# RESEARCH REPORT

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Contents

<b>Executive Summary</b>	<b>1</b>
<b>Section 1: VRFB's and the global storage market</b>	<b>3</b>
The 21 <sup>st</sup> Century storage battery challenge	3
What is a Vanadium Redox Flow Battery?	3
<b>Section 2: Can Vanadium emulate Lithium's rise?</b>	<b>4</b>
Compared to Lithium-ion batteries – VRFB's are safe, simple and long life, though bulkier	4
VRFB's can transform the volatile vanadium market	4
New Use for hi-purity vanadium – enter the VRFB	6
<b>The short-term outlook and beyond is brightening for vanadium</b>	<b>6</b>
Vanadium supply expansion – Sustainability an increasing focus	7
TNG - an example of a sustainable vanadium supplier of the future	7
Link to TNG Limited Initiation Report October 2021: <i>TNG Report link</i> .	8
TNG and others – exploring vertical integration & parallel businesses	8
<b>Selection of listed companies with vanadium exposure</b>	<b>9</b>
Australian vanadium deposits and critical mineral status	9
Fortune Business Insights estimate: 2020 energy storage market	10
Corporate Connect Research Pty Ltd Independent Research Report Disclaimer	10

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Section 1: VRFB's and the global storage market

#### The 21<sup>st</sup> Century storage battery challenge

The current mega-trend for green electrification requires many types of energy storage to match intermittent renewable power generation to on-demand electricity needs.

Electricity itself cannot be stored and can only be transformed into potential energy, like mechanical energy in pumped hydro, or chemically such as within various batteries.

Electricity's share of the World's rapidly growing energy consumption has doubled from 10% in 1980 to 20% today. Specialist commentators expected electricity to exceed 40% of much larger energy use by 2050.

Strong growth in stationary storage capacity is expected with some tipping a 600% rise in just 7-years from 2020 and reach US\$55 billion in invested capital. To date Lithium batteries have over 95% market share.

*Capturing a small proportion of the energy storage trend can transform the relatively small vanadium industry that in 2020 was worth just US\$4billion.*

#### What is a Vanadium Redox Flow Battery?

The Vanadium Redox Flow Battery (VRFB) is power storage device. It is made up of two tanks filled with water-based vanadium electrolyte fluid and linked by pipes to a membrane separated power cell. Electron flows across the membrane to either store, or in reverse direction, to discharge electrical current. The tank size determines the battery's capacity. VRFB's use vanadium electrolyte's unique property that can exist in four different oxidation states; that is from an oxidation state of +2 ( $V^{2+}$ ), +3 ( $V^{3+}$ ), +4 ( $VO^{2+}$ ) to +5 ( $VO_3^-$  or  $VO_2^+$ ).

This simple, robust and scalable battery was invented in the 1980's at the University of NSW. It is increasingly being rolled out globally, particularly for power grid support and when teamed with renewables is ideal for utility-scale power providers, neighbourhood mini-grids and remote off-grid use.


Lithium-ion batteries store charge within the relatively small individual power cells. By contrast, VRFB's use a liquid vanadium electrolyte to store electrical charge, the larger the tank, the greater the scale economy.

#### Vanadium's 4-ionic states enable storage and transmission of electrical charge



When charging, positive blue  $V4$  turns to yellow  $V5$  and gives up an electron by crossing the power cell's membrane to the negatively charged green  $V3$ . The green  $V3$  then turns into purple  $V2$ . This ionic reaction can be reversed to allow power to be discharged to perform work as required.

Annual Installed Stationary Energy Storage Capacity and Deployment Revenue by Market Segment



Source: Guidehouse Insights

■ Utility-Scale ■ Commercial & Industrial ■ Residential  
■ Total Revenue

Source: Guidehouse Insights

■ Total Revenue

</

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Section 2: Can Vanadium emulate Lithium's rise?

#### Compared to Lithium-ion batteries – VRFB's are safe, simple and long life, though bulkier

**Durability & 100% depth of discharge:** Vanadium electrolyte's durability enables long lifespan operation of over 20-years and 35,000 charge/discharge cycles without significant performance degradation. Importantly VRFB's can discharge 100% of stored charge without damage. This contrasts with Lithium-Ion batteries where performance can be impaired if fully discharged and with accumulating charge/discharge cycles the battery performance wanes.

Unlike Lithium-Ion batteries, VRFB performance is largely unaffected by high or changing ambient temperatures.

**Safety advantages:** VRFB's cannot catch fire and are repairable, e.g., should a pump fail. Lithium batteries under certain conditions can incur irreparable damage or result in intense fires. Further Lithium-Ion batteries are complex amalgams of materials, some toxic and many are expensive and in combination are difficult to recycle.

**Ease of recycling:** The vanadium is fully recyclable at the end of the vanadium redox flow battery's mechanical life. There is only one battery chemical element and there is no risk of cross-contamination. Production is likely to have a lower carbon footprint to produce than solid-state batteries.

**Lithium-ion battery power cells** have the advantage of greater density of charge compared to VRFB's electrolyte-based charge storage. This density enables Lithium-ion batteries to have the advantage where space is a premium and also for mobile applications such as electric vehicles and mobile devices and tools.

*Strong R&D is driving lithium-ion battery performance improvements and cost reductions. We expect the less intensively researched VRFB's will over time exploit untapped latent efficiency and secure a significant market niche in storage. While upfront costs of VRFB's at present are higher than Lithium-ion batteries, over their life cycle VRFB's are as or more cost-effective. A further plus is an end-of-life re-sale of vanadium electrolyte.*

#### VRFB's can transform the volatile vanadium market

Ferro Vanadium 80% Price China USD/kg

The vanadium market has been characterised by short boom and longer bust conditions often mirroring the volatile global steel industry **output** cycle and runs counter to iron ore's **price** cycle.

*We see rising new-use battery demand for vanadium that requires high grade V. This can create an entirely new dynamic driver of the global vanadium market.*



Source VanadiumPrice.com


Vanadium or V is a soft ductile metal that is not rare but generally occurs in low concentrations and is often associated with titanium and iron ores. Currently over 80% of V is used for alloying including with steel. Adding just 1kg of V to 1-tonne of steel increases its tensile strength by 84%. **Adding more V to steel reduces the amount of steel needed in construction – enabling a reduction in this big sector's emissions.** Roskill consultants believe that the steel alloy market for V can drive over 2%pa growth in use to 2029. Adding in the

# RESEARCH REPORT

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

environmental and efficiency benefits of V could boost use further, particularly in fast-growing Developing Countries. *For example, India, that uses less than 30 grams/tonne of steel, while China uses nearly 75 g/t.*



In 2020, vanadium production rose 7.8% to 110,409 tonnes with China, Russia and South Africa producing 60%, 17% and 7% respectively.

Vanadium prices have gyrated over time as over 70% of output is derived as a Co-product of magnetite ores used for steel manufacturing.

Often, high iron ore pricing incentivises marginal magnetite producers, largely located in China, to also ramp-up output including co-product vanadium, *whether the V is needed or not.*

**We observe that Ferrovanadium has a negative correlation to iron ore prices** by around -9% on quarterly basis pricing.


*Falling iron ore prices can actually benefit pricing of commodity-grade 80% ferro-vanadium.*

Post pandemic we see good pricing conditions for vanadium of robust steel production levels globally, supplied by moderately priced iron ore from Australia, a de-bottlenecked Brazil and new supplies from Simandou in Africa.


**Primary production of vanadium** involves roasting, leaching and precipitation to produce higher purity 98%+ V and accounts for 17.6% or just 19,400 tonnes in 2020.

A further 10% or 11,500 tonnes of vanadium is sourced from **Secondary production** from reprocessing fly ash, petroleum and alumina residues and spent catalysts. Higher purity vanadium has uses in chemical catalysts, as well as in the medical, aerospace and nuclear industries.

ASX-listed TNG plans to develop primary production of V in the Northern Territory at its Mount Peake mine and chemical complex. In this facility it aims to produce 6,000 tonnes pa of Hi-purity 99% vanadium pentoxide product, along with titanium pigment and hi-grade iron ore as co-products. *TNG's 6,000 tpa V2O5 production converts to ~3,350tpa of vanadium metal equivalent. While this is only ~3% of current global output of V, it represents a ~11% of hi-purity vanadium output, making the Mount Peake project of global significance.*



Source: Bushveld Minerals



Source: Roskill and Bushveld Minerals

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### New Use for hi-purity vanadium – enter the VRFB

VRFB's require high purity V in the form of vanadium pentoxide (V2O5). **Each Mega-Watt hour (MWh) of storage requires around 5.5 metric tonnes of vanadium, equivalent to 9.8 tonnes of V2O5.**

China has announced over 1,500 MWh of VRFB projects in four provinces, which equates to over 8,200 tonnes of V over the next couple of years. This new V demand equates to over 7% of last year's global supply of vanadium units but is over 30% of hi-purity V production. *In a similar dynamic to the lithium market, new battery storage use appears to be transformative for the vanadium market.*

Largo, Brazil's biggest primary vanadium producer plans to have 1,400 MWh of VRFB's under a rental model by the end of 2022. This could use ~7,700 tonnes of V. Other companies have under construction and/or planned VRFB installations that span Japan, Europe and South Africa. These developments could match China's and Brazil's ambitions within the next two or three years. In South Australia, the Yadlamalka Sheep Station VRFB project near Hawker is investing A\$20.3m to install a 6 MW solar farm and a 2 MW / 8 MWh storage facility with 41 VRFB modules that would use over 40 tonnes of V and over 75 tonnes of V2O5.

Clearly, a big expansion of the hi-purity vanadium production for VRFB's is required over coming years.

These trends may result in increased price premium for hi-purity vanadium output versus ferrovanadium. This may parallel the experience of producers of LME-grade nickel who can sell to fast-growing battery uses, while lower grade ferronickel producers remain tied to the vagaries of the stainless-steel market.

Given the still large influence of the alloy market, we believe the vanadium price cycle may continue to display high price volatility. This is akin to the hi-grade nickel market. In response, VRFB makers will likely seek to vertically integrate upwards to secure source of hi-purity V. Vanadium input represents around 30 to 45% of the cost of a VRFB, depending upon the price of this critical ingredient. The vertical integration driver would mirror the behaviour of pigment makers seeking to control the sources of rutile and refined titanium dioxide inputs. **We expect competitive independent producers of hi-purity vanadium to be corporate targets in coming years from those manufacturers seeking to claim a portion of the growing power storage market.**

### The short-term outlook and beyond is brightening for vanadium

2021 saw a doubling in vanadium prices as China's economy lead the advance out of Covid-19 restrictions. Enforcement of pollution restrictions in China plus a slowing in the property sector and in the general economy has seen commodity prices such as iron ore fall heavily. Interestingly, vanadium prices fell far less heavily.

We would expect to see vanadium co-product producers from marginal magnetite ores to curtail output as iron ore prices fall further below US\$100/t and as power restrictions crimp processing. This may see ferrovanadium prices stabilise in coming months. In coming quarters, as China plus the rest-of-the-World steel output starts to recover, we would expect vanadium prices would rise and perhaps eclipse recent price highs.

#### Ferrovanadium prices in China (80% V) US\$/lb

After retracing recent highs as steel output fell, prices start to stabilise as iron ore prices fell heavily



#### Vanadium Pentoxide 98% Europe US\$/lb

V2O5 still correcting as it rose more strongly than Ferrovanadium.



## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Glasgow COP-26 – a spur to power storage growth, and the vanadium market


Beyond the vagaries of the steel market, hi-purity vanadium's market is tightening as the increasing number of VRFB projects move into construction and commission in China, Europe, Japan, South Africa, Brazil and beyond. Spurred on by Glasgow COP-26 national commitments to emission reduction, stationary power storage investment is likely to be turbo-charged with the aid of an *avalanche of finance looking for investments with solutions to reducing greenhouse gas emissions*.

While the limelight has been upon lithium-ion batteries, we believe vanadium prices can emulate lithium to rise over coming years to meet the growing source of demand for V, particularly for VRFB's.

### Vanadium supply expansion – Sustainability an increasing focus

The introduction of VRFB's into the market is spurring new supply of hi-quality vanadium production. However, traditional treatments of magnetite with vanadium ore with 0.3% to 1.3% content V have largely been based upon high emissions intensive production methods. In Brazil and South Africa traditional pyrometallurgical processes are driven by diesel and power derived from fossil-fuels like coal. The processes recover the vanadium but diverts potential co-products like titanium dioxide and iron oxides to waste dumps or to further emissions-intensive high temperature processing to make pig iron.

Newer processes such as TNG's patented TIVAN® Process is a multi-stage pyro-metallurgical and hydro-metallurgical chemicals plant for treating titano-magnetite with vanadium ores. The proposed plant progressively recovers titanium dioxide, vanadium pentoxide and iron oxide at purity levels above commodity grades. Recovering more of all potentially valuable product from ore also reduces the carbon footprint of each tonne of the various products.



Notes:  
The TNG numbers are based on the most recently information provided by SMS. The pyrometallurgy number relies on the feed concentrate having the same composition as the TNG concentrate. This is required for this kind of comparison.  
Product assumptions as at 30 Sep 2021: US\$19,224/tonne for V<sub>2</sub>O<sub>5</sub> (US\$8.72/lb), US\$3,600/t TiO<sub>2</sub> pigment and US\$142/tonne for high grade Fe<sub>2</sub>O<sub>3</sub>.

The TIVAN® Process is a potential game changer because it produces three premium purity products, while competing conventional pyrometallurgical processes create a single product often with average grade V<sub>2</sub>O<sub>5</sub> or a Ferrovanadium. The TIVAN® Process utilises natural gas initially, though TNG is actively considering incorporation of solar generation and battery support including VRFB's at its Central Australian site near Alice Springs. Also, TNG are planning to replace fossil fuel reductant for hydrogen as H<sub>2</sub> volumes become available, or possibly install an electrolyser for onsite green-H<sub>2</sub> making.

### TNG - an example of a sustainable vanadium supplier of the future

TNG Limited (TNG) is an Australian company listed on the ASX. It is a mineral processing technology company and project developer of its 100% owned world-class Mount Peake Vanadium-Titanium-Iron Project in the Northern Territory. The decade-long work on the mine, technology and process has culminated in a FEED study that focussed on a Darwin sited processing facility. TNG are now engaged on an amended FEED study with an integrated mine/processing facility at the Mount Peake Mine. Next steps are to finalise site approval, final investment decision and a funding over the coming year.

The defining feature of TNG is its ownership and intended deployment of the patented TIVAN® treatment process that combines both pyro- and hydro-metallurgical processes. This extracts from magnetite a concentrate with three premium high purity products (V<sub>2</sub>O<sub>5</sub>, TiO<sub>2</sub> and Fe). TiO<sub>2</sub> is further processed to make a paint-grade pigments with the trademark TNG360™.

# RESEARCH REPORT


## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

Product	Est Production	Product usage	Off-take	Est. Revenue Split	Est. Price Premiums
<b>Vanadium Pentoxide V<sub>2</sub>O<sub>5</sub></b>	6,000 tpa ~3% of world demand of V	Steel alloys, chemicals, catalysts & Vanadium Flow Batteries	Woojin – Korea up to 60% LOM Gunvor – Singapore for up to 40%.	30%	Product 99.6% versus standard 98%. Expect 10-15% premiums
<b>Titanium Dioxide Pigment TiO<sub>2</sub></b>	100,000 tpa 1.5% of world demand	Steel alloys, chemicals, catalysts and emerging Vanadium Flow Batteries	DKSH – up to 100% LOM	60%	TiO <sub>2</sub> 75% & Fe 2.3% versus Fe 9% for high-quality TiO <sub>2</sub> slag Expect ~3% premiums
<b>Hematite Iron Ore Fines Fe<sub>2</sub>O<sub>8</sub></b>	500,000 tpa <0.5% of world fines demand	Steel making	Vimson – India up to 100% LOM	10%	Product fines 64.4% Fe versus standard 62% Expect ~10 % premiums

Link to TNG Limited Initiation Report October 2021: [TNG Report link](#).

### TNG and others – exploring vertical integration & parallel businesses



While TNG's focus is on final assessment for decision to proceed to develop the Mount Peake integrated project, it is advancing ways to leverage its technology and operations in three ways:

To enter the supply of VRFB's to the Australian power storage market. In August 2021, TNG engaged Perth-based mineral process engineering group METS Engineering to undertake a process design study for a vanadium electrolyte production facility. This builds upon its November 2020 announcement on the establishment of Vanadium Redox Flow Battery ("VRFB") business unit to be a prime mover in supplying Australia with this battery system. In April 2021, TNG announced its collaboration with Singaporean-based battery technology development company V-Flow Tech that could supply and construct advanced VRFB designs.

TNG would also look to licence its process technology internationally. This becomes an option upon a successful commissioning the TIVAN® process that demonstrates superior recoveries, product and economic returns with substantially lower unit carbon emissions compared to vanadium industry norms.

In September 2021, the TNG executed a Project Development Agreement with Malaysian-based green energy company AGV Energy & Technology to develop green hydrogen production projects jointly and exclusively in Australia. The plan is to utilise AGV's "HySustain" technology. This can deepen TNG's sustainability credentials at site and beyond, in 3<sup>rd</sup> party businesses.

Looking overseas we see vanadium producing companies scaling operations to include VRFB opportunities.

In South Africa, Bushveld Minerals' subsidiary Bushveld Energy has committed US\$20m and has a pipeline of up to 250MWh projects that they intend to roll out VRFB integrated power projects. This is in ventures with VRFB manufacturer Enerox, and VRFB maker, installer and electrolyte rentals manager InVinity Energy Systems. South Africa's main power generator Eskom has started a massive 1,400 MWh energy storage system which includes pump hydro and increasingly with batteries. It has issued a tender for an 80 MW / 320 MWh storage system.

# RESEARCH REPORT

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Selection of listed companies with vanadium exposure


A selection of Listed companies with vanadium exposure.

ASX-Listed Company in A\$		Local Price	Market Capitalizn. fd. \$m	Enterprise Value (EV) \$m	Net Cash (Debt)
NMT-AU	Neometals Ltd.	1.100	603.2	504.8	95.1
TNG-AU	TNG Limited	0.086	119.4	99.4	18.9
AVL-AU	Australian Vanadium Limited	0.027	88.6	73.2	3.4
VR8-AU	Vanadium Resources Ltd.	0.078	36.7	28.1	1.8
Overseas listed - in US dollars				US\$	US\$
000629-CN	Pangang Group Vanadium Titanium and Resources C	3.400	4,579.3	4,084.1	501.2
LGO-CA	Largo Inc.	13.750	709.5	657.2	54.4
BMN-GB	Bushveld Minerals Limited	0.099	167.4	228.1	-14.7
WUC-CA	Western Uranium & Vanadium Corp.	2.780	84.7	78.3	0.6
893-HK	China Vanadium Titano-Magnetite Mining Co., Ltd.	0.180	52.0	110.2	-9.0
VRBFF-US	Vanadiumcorp Resource Inc	0.043	23.4	23.1	0.3

Source: FactSet as at 15 Nov'2021

### Australian vanadium deposits and critical mineral status

Vanadium has been listed as a "critical mineral" input to the development of Australia's next generation industries.



Source: Geoscience Australia – Resource status as of 2017

[Vanadium | Geoscience Australia \(ga.gov.au\)](https://www.ga.gov.au)

Currently, Australia has no commercial output of segregated vanadium. With a substantial reserve endowment there is potential for Australia to take a sizable share of the hi-purity vanadium output, just as in the production of lithium products.

#### Vanadium Reserves: USGS est. 2019



Source: United States Geological Survey for 2020

[Vanadium Data Sheet - Mineral Commodity Summaries 2020 \(usgs.gov\)](https://www.usgs.gov/minerals/pubs/commodity/vanadium/mcs-2020/vanadium_2020.pdf)


The key to project vanadium development in Australia is the deployment of new processing technology that increases returns per tonne of ore and chemical refining processes that also reduce the emissions footprint.

# RESEARCH REPORT

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Fortune Business Insights estimate: 2020 energy storage market



Various versions of the Lithium-ion battery have undergone extensive research, development and deployment. This has encouraged investment in scale manufacturing facilities that are leading to falling costs. Lithium-ion batteries currently dominate the stationary power storage market.

A third-generation development Vanadium Redox Flow Batteries is providing greater efficiencies that will attract attention of ultimate users.

The move to integrate the vanadium production chain to the critical VRFB battery ingredient is enabling construction of manufacturing capacity with greater scale economies.

This promises to reduce VRFB's installed cost and see the flow battery segment grow strongly within a strongly growing segment, over time.

*VRFB's appear to be securing a strategic role in stationary power storage. In turn, this may see vanadium be viewed as a further critical mineral to assist the World's energy transition.*

### Corporate Connect Research Pty Ltd Independent Research Report Disclaimer

#### General disclaimer and copyright

Corporate Connect Research Pty Ltd Independent Research Report Disclaimer General disclaimer and copyright This report ("report" or "Research") has been commissioned by the Company the subject of this report ("TNG Limited") and prepared and issued by (Lawrence Grech, AR number 1283726) of Corporate Connect Research Pty Ltd ("Corporate Connect Research") (ABN 95640 464 320 – Corporate Authorised Representative (AR No. 1281982) of Australian Financial Services Licence (AFSL) Number 488045) in consideration of a fee payable by the Company. Corporate Connect Research may be paid additional fees for the provision of additional services to the Company but Corporate Connect Research is not remunerated for any investment banking or similar services. Where Corporate Connect Research has been commissioned to prepare content and receives fees for its preparation, fees are paid upfront in cash and NO part of the fee, compensation or employee remuneration paid will either directly or indirectly impact the content provided. Accuracy of content:

#### Accuracy of content

All information used in the publication of this report has been compiled from publicly available sources that are believed to be reliable, however Corporate Connect Research does not guarantee the accuracy or completeness of this report and has not sought for this information to be independently verified.

Opinions contained in this report represent those of the analyst of Corporate Connect Research (Lawrence Grech, AR number 1283726) at the time of publication.

The analyst has received assistance from the Company in preparing this document. The Company has provided the analyst with access to senior management and information on the Company and industry. The analyst does not hold an economic interest in the securities covered in this report or other securities issued by the subject issuer.

From time to time, Corporate Connect Research's representatives or associates may hold interests, transact or hold directorships in, or perform paid services for, companies mentioned in this report. Corporate Connect Research and its associates, officers, directors and employees, may, from time to time, hold securities in the companies referred to in this report and may trade in those securities as principal and in a manner that may be contrary to recommendations mentioned in this report.

As part of due diligence, the analyst has independently and critically reviewed the assistance and information provided by the Company to form the opinions expressed in the report. However, due diligence site visits have not been undertaken at this time. Care has been taken by the analyst to maintain objectivity in preparing this report and making any recommendation. The analyst is responsible for ensuring that this report accurately reflects his or her view of the matters set out in it and that it was prepared in an independent manner.

Forward-looking information or statements in this report contain information that is based on assumptions, forecasts of future results and estimates of amounts not yet determinable, and therefore involve known and unknown risks, uncertainties and other factors, which may cause the actual results, performance or achievements of their subject matter to be materially different from current expectations. This report is prepared as at the date stated in it, and to the maximum extent permitted by law, Corporate Connect Research (on its own behalf and on behalf of the analyst) disclaims any responsibility to inform any recipient of this report of any matter that subsequently comes to its notice, which may affect any of the information contained in this report.

# RESEARCH REPORT

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

### Exclusion of liability

To the fullest extent allowed by law, Corporate Connect Research (on its own behalf and on behalf of the analyst) shall not be liable to any person for any direct, indirect or consequential losses, loss of profits, damages, costs or expenses incurred or suffered by you or any other person arising out or in connection with the access to, use of or reliance on any information contained in this report.

No guarantees or warranties regarding accuracy, completeness or fitness for purpose are provided by Corporate Connect Research (on its own behalf and on behalf of the analyst), and under no circumstances will any of Corporate Connect Research's analysts, representatives, associates or agents be liable for any loss or damage, whether direct, incidental or consequential, caused by reliance on or use of the content.

### General advice warning

This report and any other Research must not be construed as personal advice or recommendation nor as an inducement to trade the report's named company or any other security. Corporate Connect Research encourages investors to seek independent financial advice regarding the suitability of investments for their individual circumstances and recommends that investments be independently evaluated. Investments involve risks and the value of any investment or income may go down as well as up. Investors may not get back the full amount invested. Past performance is not indicative of future performance. Estimates of future performance are based on assumptions that may not be realised. If provided, and unless otherwise stated, the closing price provided is that of the primary exchange for the issuer's securities or investments. The information contained within the Research is published solely for information purposes and is not a solicitation or offer to buy or sell any financial product or participate in any trading or investment strategy.

Analysis contained within the Research is based upon publicly available information and may include numerous assumptions. Investors should be aware that different assumptions can and do result in materially different results. The Research is distributed only as may be permitted by law. It is not intended for distribution or use by any person or entity located in a jurisdiction where distribution, publication, availability, or use would be prohibited. Corporate Connect Research makes no claim that the Research content may be lawfully viewed or accessed, whether inside or outside of Australia. Access to the Research content may not be legal for certain persons and in certain jurisdictions. If you access this service or content from outside of Australia, you are responsible for compliance with the laws of your jurisdiction and/or the jurisdiction of the third party receiving such content. The Research is provided to our clients through its website and our distribution partners ([www.sharecafe.com.au](http://www.sharecafe.com.au) and [www.informedinvestor.com.au](http://www.informedinvestor.com.au)).

Some Research products may also be made available to its clients via third party vendors or distributed through alternative electronic means as a convenience. Such alternative distribution methods are at Corporate Connect Research's discretion.

### Access and use

Any access to, or use of, the Research is subject to the Terms and Conditions of Corporate Connect Research. By accessing or using the Research you hereby consent to Corporate Connect Research collecting and using your personal data (including cookies) in accordance with our Privacy Policy (<https://corporateconnect.com.au/privacy/>), including for the purpose of a) setting your preferences and b) collecting readership data so Corporate Connect Research may deliver an improved and personalised service to you. If you do not agree to our Terms and Conditions and/or if you do not consent to Corporate Connect Research's use of your personal data, please do not access this service.

Copyright of the information contained within the Research (including trademarks and service marks) are the property of the irrespective owners. The Research, or any portion thereof, may not be republished, reprinted, sold, or redistributed without the prior and written consent of Corporate Connect Research.

### Australia

Corporate Connect Research Pty Ltd is a Corporate Authorised Representative (1281982) of PacReef Asset Management Pty Ltd who holds an Australian Financial Services Licence (Number: 488045) which allows Corporate Connect Research to offer financial service advice to wholesale clients. Any advice given by Corporate Connect Research is general advice only and does not consider your personal circumstances, financial situation, needs or objectives. You should, before acting on this advice or making any investment decision or a decision about whether to acquire or dispose of a financial product mentioned in any Research, consider the appropriateness of the advice, having regard to your objectives, financial situation, and needs. If our advice relates to the acquisition, or possible acquisition, of a particular financial product you should read any relevant Product Disclosure Statement or like instrument, and also seek independent financial, legal and taxation advice.

### New Zealand

The Research in this document is intended for New Zealand resident professional financial advisers or brokers. This is not a solicitation or inducement to buy, sell, subscribe, or underwrite any securities mentioned or in the topic of this document. For the purpose of the FFA, the content of this report is of a general nature, is intended as a source of general information only and is not intended to constitute a recommendation or opinion in relation to acquiring or disposing (including refraining from acquiring or financial advice, is intended only as a "class service" provided by Corporate Connect Research within the meaning of the FFA (i.e. without taking into account the particular financial situation or goals of any person). As such, it should not be relied upon in making an investment decision.

### United Kingdom

This document is prepared and provided by Corporate Connect Research for information purposes only and should not be construed as an offer or solicitation for investment in any securities mentioned or in the topic of this document. A marketing communication under FCA Rules, this document has not been prepared in accordance with the legal requirements designed to promote the independence of investment research and is not subject to any prohibition on dealing ahead of the dissemination of investment research.

This Communication is being distributed in the United Kingdom and is directed only at (i) persons having professional experience in matters relating to investments, i.e. investment professionals within the meaning of Article 19(5) of the Financial Services and Markets Act 2000 (Financial Promotion) Order 2005, as amended (the "FPO") (ii) high net-worth companies, unincorporated associations or other bodies within the meaning of Article 49 of the FPO and (iii) persons to whom it is otherwise lawful to distribute it. The investment or investment activity to which this document relates is available only to such persons.

# RESEARCH REPORT

## Vanadium Industry Profile

Can vanadium emulate lithium's rise?

It is not intended that this document be distributed or passed on, directly or indirectly, to any other class of persons and in any event and under no circumstances should persons of any other description rely on, or act upon, the contents of this document.

This Communication is being supplied to you solely for your information and may not be reproduced by, further distributed to or published in whole or in part by, any other person.

### United States

Corporate Connect Research relies upon the "publishers' exclusion" from the definition of investment adviser under Section 202(a)(11) of the Investment Advisers Act of 1940 and corresponding state securities laws. This report is a bona fide publication of general and regular circulation offering impersonal investment-related advice, not tailored to a specific investment portfolio or the needs of current and/or prospective subscribers. As such, Corporate Connect Research does not offer or provide personal advice and the research provided is for informational purposes only. No mention of a particular security in this report constitutes a commendation to buy, sell or hold that or any security, or that any particular security, portfolio of securities, transaction or investment strategy is suitable for any specific person.

### Analyst Verification

I verify that I, (**Lawrence Grech**) have prepared this research report accurately and that any financial forecasts and recommendations that are expressed are solely my own personal opinions. In addition, I certify that no part of my compensation is or will be directly or indirectly tied to the specific recommendation or financial forecasts expressed in this report.

For more information contact Corporate Connect:

[www.corporateconnect.com.au](http://www.corporateconnect.com.au)

Sydney  
79 Kent St  
Millers Point Sydney NSW 2000

Phone: +61 400 897 559

Email: [enquiries@corporateconnect.com.au](mailto:enquiries@corporateconnect.com.au) <https://www.corporateconnect.com.au/>